

ECO CALCIUM

Chemwatch Material Safety Data Sheet (REVIEW)

Sep-20-2007

NB293ECP

CHEMWATCH 6632-81

Version No:1

CD 2007/3 Page 1 of 8

Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME

ECO CALCIUM

STATEMENT OF HAZARDOUS NATURE

Not considered a hazardous substance according to OSHA 29 CFR 1910.1200.

SUPPLIER

Company: Mars Fishcare North America Inc

Address:

PO Box 218

Chalfont

PA, 18914- 0218

USA

Telephone: +1 215 822 8181

Emergency Tel: +1800 222 1222 (US Only)

Company: Mars Fishcare North America Inc

Address:

50 East Hamilton Street

Chalfont

PA, 18914

USA

Telephone: +1 215 822 8181

Fax: +1 215 822 1906

PRODUCT USE

Used according to manufacturer' s directions. For product 330.

SYNONYMS

"Solution ID# RM000287"

Section 2 - HAZARDS IDENTIFICATION

CANADIAN WHMIS SYMBOLS

None

EMERGENCY OVERVIEW

RISK

POTENTIAL HEALTH EFFECTS

ACUTE HEALTH EFFECTS

SWALLOWED

The material has NOT been classified as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. The material may still be damaging to the health of the individual, following ingestion, especially where pre-existing organ (e.g. liver, kidney) damage is evident. Present definitions of harmful or toxic substances are generally based on doses producing mortality (death) rather than those producing morbidity (disease, ill-health). Gastrointestinal tract discomfort may produce nausea and vomiting. In an occupational setting however, unintentional ingestion is not thought to be cause for concern.

EYE

Although the liquid is not thought to be an irritant, direct contact with the eye may produce transient discomfort characterized by tearing or conjunctival redness (as with windburn).

continued...

ECO CALCIUM

Chemwatch Material Safety Data Sheet (REVIEW)

Sep-20-2007

NB293ECP

CHEMWATCH 6632-81

Version No:1

CD 2007/3 Page 2 of 8

Section 2 - HAZARDS IDENTIFICATION

SKIN

The material is not thought to produce adverse health effects or skin irritation following contact (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.

INHALED

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting.

Not normally a hazard due to non-volatile nature of product.

CHRONIC HEALTH EFFECTS

Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified using animal models); nevertheless exposure by all routes should be minimized as a matter of course.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME	CAS RN	%
calcium chloride	10043-52-4	10-15
non hazardous ingredients, proprietary		<1
water	7732-18-5	>80

Section 4 - FIRST AID MEASURES

SWALLOWED

- Immediately give a glass of water.
- First aid is not generally required. If in doubt, contact a Poisons Information Center or a doctor.

EYE

If this product comes in contact with eyes:

- Wash out immediately with water.
- If irritation continues, seek medical attention.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

SKIN

If skin or hair contact occurs:

- Flush skin and hair with running water (and soap if available).
- Seek medical attention in event of irritation.

INHALED

- If fumes or combustion products are inhaled remove from contaminated area.
- Other measures are usually unnecessary.

NOTES TO PHYSICIAN

Treat symptomatically.

continued...

ECO CALCIUM

Chemwatch Material Safety Data Sheet (REVIEW)

Sep-20-2007

NB293ECP

CHEMWATCH 6632-81

Version No:1

CD 2007/3 Page 3 of 8

Section 5 - FIRE FIGHTING MEASURES

Flash Point (°F): Not Applicable

Lower Explosive Limit (%): Not Applicable

Upper Explosive Limit (%): Not Applicable

Autoignition Temp (°F): Not Applicable

EXTINGUISHING MEDIA

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

FIRE FIGHTING

- Alert Emergency Responders and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves for fire only.
- Prevent, by any means available, spillage from entering drains or water course.
- Use fire fighting procedures suitable for surrounding area.
- Do not approach containers suspected to be hot.
- Cool fire exposed containers with water spray from a protected location.
- If safe to do so, remove containers from path of fire.
- Equipment should be thoroughly decontaminated after use.

GENERAL FIRE HAZARDS/HAZARDOUS COMBUSTIBLE PRODUCTS

- Non combustible.
 - Not considered to be a significant fire risk, however containers may burn.
- Decomposition may produce toxic fumes of: hydrogen chloride.

FIRE INCOMPATIBILITY

None known.

PERSONAL PROTECTION

Glasses:

Chemical goggles.

Gloves:

When handling larger quantities:

General purpose rubber glove.

Respirator:

Section 6 - ACCIDENTAL RELEASE MEASURES

MINOR SPILLS

- Clean up all spills immediately.
- Avoid breathing vapors and contact with skin and eyes.
- Control personal contact by using protective equipment.
- Contain and absorb spill with sand, earth, inert material or vermiculite.
- Wipe up.
- Place in a suitable labeled container for waste disposal.

MAJOR SPILLS

Minor hazard.

- Clear area of personnel.
- Alert Emergency Responders and tell them location and nature of hazard.
- Control personal contact by using protective equipment as required.
- Prevent spillage from entering drains or water ways.
- Contain spill with sand, earth or vermiculite.
- Collect recoverable product into labeled containers for recycling.
- Absorb remaining product with sand, earth or vermiculite and place in appropriate containers for disposal.

continued...

ECO CALCIUM

Chemwatch Material Safety Data Sheet (REVIEW)

Sep-20-2007

NB293ECP

CHEMWATCH 6632-81

Version No:1

CD 2007/3 Page 4 of 8

Section 6 - ACCIDENTAL RELEASE MEASURES

- Wash area and prevent runoff into drains or waterways.
- If contamination of drains or waterways occurs, advise emergency services.

Section 7 - HANDLING AND STORAGE

PROCEDURE FOR HANDLING

- Limit all unnecessary personal contact.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Avoid contact with incompatible materials.
- When handling, DO NOT eat, drink or smoke.
- Keep containers securely sealed when not in use.
- Avoid physical damage to containers.
- Always wash hands with soap and water after handling.
- Work clothes should be laundered separately.
- Use good occupational work practice.
- Observe manufacturer's storing and handling recommendations.
- Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.

RECOMMENDED STORAGE METHODS

- Polyethylene or polypropylene container.
- Packing as recommended by manufacturer
- Check all containers are clearly labeled and free from leaks.

STORAGE REQUIREMENTS

- Store in original containers.
- Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.
- Protect containers against physical damage and check regularly for leaks.
- Observe manufacturer's storing and handling recommendations.

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE CONTROLS

Source	Material	TWA mg/m ³	STEL mg/m ³
Canada - Ontario Occupational Exposure Limits	calcium chloride (Calcium chloride)	5	
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits	calcium chloride (Particulates, NOC++)	10	20
Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits	calcium chloride (Respirable size+)	3	6

The following materials had no OELs on our records

- water:

CAS:7732- 18- 5

continued...

ECO CALCIUM

Chemwatch Material Safety Data Sheet (REVIEW)

Sep-20-2007

NB293ECP

CHEMWATCH 6632-81

Version No:1

CD 2007/3 Page 5 of 8

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

MATERIAL DATA

Not available. Refer to individual constituents.

INGREDIENT DATA

WATER:

No exposure limits set by NOHSC or ACGIH.

PERSONAL PROTECTION

EYE

- Safety glasses with side shields
- Chemical goggles.
- Contact lenses pose a special hazard; soft lenses may absorb irritants and all lenses concentrate them.

HANDS/FEET

Wear general protective gloves, e.g.. light weight rubber gloves.

Suitability and durability of glove type is dependent on usage. Factors such as:

- frequency and duration of contact,
- chemical resistance of glove material,
- glove thickness and
- dexterity,

are important in the selection of gloves.

OTHER

No special equipment needed when handling small quantities.

OTHERWISE:

- Overalls.
- Barrier cream.
- Eyewash unit.

The local concentration of material, quantity and conditions of use determine the type of personal protective equipment required.

Use appropriate NIOSH-certified respirator based on informed professional judgement. In conditions where no reasonable estimate of exposure can be made, assume the exposure is in a concentration IDLH and use NIOSH-certified full face pressure demand SCBA with a minimum service life of 30 minutes, or a combination full facepiece pressure demand SAR with auxiliary self-contained air supply. Respirators provided only for escape from IDLH atmospheres shall be NIOSH-certified for escape from the atmosphere in which they will be used.

ENGINEERING CONTROLS

General exhaust is adequate under normal operating conditions. If risk of overexposure exists, wear an approved respirator. Correct fit is essential to obtain adequate protection. Provide adequate ventilation in warehouse or closed storage areas.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL PROPERTIES

Liquid.

Mixes with water.

continued...

ECO CALCIUM

Chemwatch Material Safety Data Sheet (REVIEW)

Sep-20-2007

NB293ECP

CHEMWATCH 6632-81

Version No:1

CD 2007/3 Page 6 of 8

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Molecular Weight: Not Applicable
Melting Range (°F): Not Available
Solubility in water (g/L): Miscible
pH (1% solution): Not Available
Volatile Component (%vol): Not Available
Relative Vapor Density (air=1): Not Available
Lower Explosive Limit (%): Not Applicable
Autoignition Temp (°F): Not Applicable
State: Liquid

Boiling Range (°F): Not Available
Specific Gravity (water= 1): 0.915
pH (as supplied): 10.2
Vapor Pressure (mmHg): 0 Not Available
Evaporation Rate: Not Available
Flash Point (°F): Not Applicable
Upper Explosive Limit (%): Not Applicable
Decomposition Temp (°F): Not Available
Viscosity: Not Available

APPEARANCE

Colourless liquid with white particles and no odour; mixes with water.

Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

CONDITIONS CONTRIBUTING TO INSTABILITY

- Presence of incompatible materials.
- Product is considered stable.
- Hazardous polymerization will not occur.

STORAGE INCOMPATIBILITY

Avoid contamination of water, foodstuffs, feed or seed.
None known.

Section 11 - TOXICOLOGICAL INFORMATION

Eco Calcium

TOXICITY AND IRRITATION

Not available. Refer to individual constituents.

CALCIUM CHLORIDE:

unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances.

TOXICITY

Oral (rat) LD50: 1000 mg/kg

IRRITATION

Skin (unknown): moderate*
Eye (unknown): severe* [ICI]

WATER:

unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances.

No significant acute toxicological data identified in literature search.

Section 12 - ECOLOGICAL INFORMATION

No data for Eco Calcium.

Refer to data for ingredients, which follows:

CALCIUM CHLORIDE:

Fish LC50 (96hr.) (mg/l): 8.4 (24hr)

continued...

ECO CALCIUM

Chemwatch Material Safety Data Sheet (REVIEW)

Sep-20-2007

NB293ECP

CHEMWATCH 6632-81

Version No:1

CD 2007/3 Page 7 of 8

Section 12 - ECOLOGICAL INFORMATION

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Instructions

All waste must be handled in accordance with local, state and federal regulations.

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

A Hierarchy of Controls seems to be common - the user should investigate:

- Reduction,
- Reuse
- Recycling
- Disposal (if all else fails)

This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.

DO NOT allow wash water from cleaning equipment to enter drains. Collect all wash water for treatment before disposal.

- Recycle wherever possible.
- Consult manufacturer for recycling options or consult Waste Management Authority for disposal if no suitable treatment or disposal facility can be identified.
- Dispose of by: Burial in a licensed land-fill or Incineration in a licensed apparatus (after admixture with suitable combustible material)
- Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.

Section 14 - TRANSPORTATION INFORMATION

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS:UN, IATA, IMDG

Section 15 - REGULATORY INFORMATION

REGULATIONS

Eco Calcium (CAS: None):
No regulations applicable

calcium chloride (CAS: 10043-52-4) is found on the following regulatory lists;

Canada - Alberta Occupational Exposure Limits

Canada - Ontario Occupational Exposure Limits

Canada - Saskatchewan Occupational Health and Safety Regulations - Contamination Limits

Canada Domestic Substances List (DSL)

Canada Environmental Quality Guidelines (EQGs) Water: Community

CODEX General Standard for Food Additives (GSFA) - Additives Permitted for Use in Food in General, Unless Otherwise Specified, in Accordance with GMP

International Council of Chemical Associations (ICCA) - High Production Volume List

OECD Representative List of High Production Volume (HPV) Chemicals

US - Michigan Exposure Limits for Air Contaminants

US DOE Temporary Emergency Exposure Limits (TEELs)

US EPA High Production Volume Chemicals Additional List

US EPA High Production Volume Program Chemical List

US Toxic Substances Control Act (TSCA) - Inventory

WHO Guidelines for Drinking-water Quality - Chemicals for which guideline values have not been established

water (CAS: 7732-18-5) is found on the following regulatory lists;

Canada Domestic Substances List (DSL)

continued...

ECO CALCIUM

Chemwatch Material Safety Data Sheet (REVIEW)

Sep-20-2007

NB293ECP

CHEMWATCH 6632-81

Version No:1

CD 2007/3 Page 8 of 8

Section 15 - REGULATORY INFORMATION

OECD Representative List of High Production Volume (HPV) Chemicals
US Department of Transportation (DOT) Marine Pollutants - Appendix B
US DOE Temporary Emergency Exposure Limits (TEELs)
US NFPA 30B Manufacture and Storage of Aerosol Products - Chemical Heat of Combustion
US Toxic Substances Control Act (TSCA) - Inventory

Section 16 - OTHER INFORMATION

Reasonable care has been taken in the preparation of this information, but the author makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The author makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. CHEMTREC: (800) 424- 9300

Issue Date: Sep-20-2007

Print Date: Sep-21-2007

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:
www.chemwatch.net/references.

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.